



Address : 59-5,JungHeungRo73-Gil,Sari-Myeon,Goesan-Gun,ChungCheongBuk-Do,Korea. (P.C.: 367-821)
Tel : +82-(0)43-836-7672
Fax : +82-(0)43-836-7675
E-mail : uniontec@kita.net / ham@utmachine.com
Website : www.utmachine.com

Auto PVC Sol Dispenser M/C(Model : UDD-200A)




Main PVC Sol Dispenser M/C Photo with Auto Loading Parts Feeding Device





PVC SOL STORAGE & MIXING TANK



PVC SOL INJECTION GUN



PVC SOL MIXING DEVICE

TECHNICAL DESCRIPTION

- CYLINDER NOZZLE TYPE
- AVAILABLE CAP HEIGHT : 5~15mm
- AVAILABLE CAP OUT-DIA : 60~95mm
- PRODUCTION CAPACITY : 30~40 pcs/ min
- FEEDING SYSTEM : ROLL FEEDING SYSTEM

- MACHINE DIAMENTION : W1200 x L1600 x H1800
- MACHINE WEIGHT : 1000 kg
- DISPENSER CONTROL STYLE : TIMER SYSTEM
- DRIVING MOTOR : 0.75 kw
- AIR SUPPLY PRESSURE : 6kgf/---centimeter
- ELECTRICITY : 380/ 220V x 50/ 60 Hz
- EASY TO CHANGE THE DIFFERENT MODEL BY USING OF ADJUSTING HANDLE
- INCLUDED 2 LINE CONVEYOR SYSTEM FOR UPPER & BOTTOM END CAP

OPTIONAL PAPRT

- AUTO LOADING PARTS FEEDING DEVICE LOADING PUMP(DRUM TO TANK LOADING) or LOADING & MIXING DEVICE or RAM PUMP PVC SOL MATERIAL

