



Address : 59-5,JungHeungRo73-Gil,Sari-Myeon,Goesan-Gun,ChungCheongBuk-Do,Korea. (P.C.: 367-821)
Tel : +82-(0)43-836-7672
Fax : +82-(0)43-836-7675
E-mail : uniontec@kita.net / ham@utmachine.com
Website : www.utmachine.com


Semi Auto Tapping M/C(Model : UTT-2C, Heavy Duty Type)



DE-OILING PART

TAPPING PART

AUTO LOADING PART



FEEDING PART - CHAIN TYPE



BEFORE TAPPING



AFTER TAPPING

GENERAL DESCRIPTION

- Product capacity : 15~20 pcs/ min
- Tapping Type : 2 Spindle
- Available Tap Size : MAX. M36
- Available Tap angle tolerance : Less 0.25mm
- Machine Dimention : W1150 x L3000 x H1500

FEATURE

- Servo chain feeding type(with special gear part)
- 2 spindle multy head type designed for compact size & mass product
- PLC controll program system is easy to operation
- Special designed pushing device during the tapping to make a perfect rectangular of Bottom plate
- One touch type tooling change device(Collect Chuck 15mm & 20mm) installed
- Product count device installed

OPTION

- Special Forming Tap : Refer to attached OSG Tap spec.

