



Address : 59-5,JungHeungRo73-Gil,Sari-Myeon,Goesan-Gun,ChungCheongBuk-Do,Korea. (P.C.: 367-821)  
Tel : +82-(0)43-836-7672  
Fax : +82-(0)43-836-7675  
E-mail : uniontec@kita.net / ham@utmachine.com  
Website : www.utmachine.com

## Auto Gasket Inserting M/C(Model : UGI-40A, Passenger Type)



MAIN M/C PHOTO



INSERTED RUBBER GASKET PHOTO



MAIN M/C PHOTO

## TECHNICAL DESCRIPTION

- PRODUCTION CAPACITY : 36~40 pcs/ min
- AVAILABLE FILTER DIA :  $\phi 60 \sim \phi 110$
- AVAILABLE FILTER HEIGHT : 60~180mm
- ELECTRIC POWER : 220/ 380V x 50/ 60Hz X 3P
- MACHINE SIZE : 4660mm(L) x 2224mm(W) x 1850mm(H)
- MACHINE WEIGHT : 2,000 kg

## APPLICATION

- THIS MACHINE IS DESIGNED TO INSERT FILTER GASKET INTO SPIN-ON OIL FILTER AUTOMATICALLY. SO, CAN REDUCE LABOR COST & INCREASE THE PRODUCTION CAPACITY EASILY.

## **FEATURE**

- AUTO LOADING & UNLOADING SYSTEM (BY USING OF INLET & OUTLET CONVEYOR)
- INDEX TURN TABLE FEEDING TYPE & PLC CONTROL SYSTEM INSTALLED
- HIGH PRODUCTIVITY BY INDEX TURN TABLE FEEDING TYPE AND EASY TO CONNECT NEXT PROCESS
- ROUND TYPE & SQUARE TYPE & SPECIAL "C" TYPE (HYUNDAI & MITUBISHI TYPE) RUBER GASKET CAN BE APPLIED WITH THIS GASKET INSERTING M/C.
- AUTO ALARM SYSTEM INSTALL (IF ANY FAILED GASKET INSERTING DUE TO BAD GASKET)

## **OPTIONAL PART**

- THE ADDITIONAL PUSHING JIG
- AUTO GASKET FEEDING DEVICE (FOR " C" TYPE)
- INDEX POCKET & GUIDE
- GASKET INSERTING DEVICE (FOR DIFFERENT OD GASKET)