



Address : 59-5,JungHeungRo73-Gil,Sari-Myeon,Goesan-Gun,ChungCheongBuk-Do,Korea. (P.C.: 367-821)
Tel : +82-(0)43-836-7672
Fax : +82-(0)43-836-7675
E-mail : uniontec@kita.net / ham@utmachine.com
Website : www.utmachine.com

Rotary Paper Pleating M/C(Model : URP-700, Commercial Type)




MAIN M/C PHOTO



FEEDING ROLLER



MAIN PLEATING ROLLER



SLITTING DEVICE



TECHNICAL DESCRIPTION

- PLEAT SPEED : up to 30m / min
- PLEATING WIDTH : 50 to 660 mm max.
- PLEAT HEIGHT : 8 to 60 mm (To make pleat, each roller will be needed for different pleating height)
- AVAILABLE MEDIA THICKNESS : 0.3 - 0.8 mm
- SUPPLYING AIR PRESSURE : 6 kgf/cm²
- DUAL GEAR(STAR) TYPE OUTLET FEEDING SYSTEM
- SLITTING CUTTER 12 PCS INSTALLED
- MACHINE SIZE : W1300 x L3000 x H1600
- MACHINE WEIGHT : 2000 kg

FEATURE

- A MEDIA COIL IS CHANGED VERY EASILY AND CONVENIENTLY.
- FILTER MEDIA IS SLIT WITH CONVENIENT CUTTER.
- A PLEATING ROLLER CAN BE CHANGED FAST.
- COUNT OF PLEATING MEDIA IS RECKONED ACCURATELY BY MAKING SYSTEM.
- A PRE-HEATER KEEPS UNIFORM PLEATING HEIGHT.

OPTIONAL PART

- ELEMENT DRY OVEN
- SLITTING CUTTER
- ADDITIONAL ROLLER(FEEDING &EMBOSSING ROLLER)

